COG5-congenital disorder of glycosylation

COG5-congenital disorder of glycosylation (COG5-CDG, formerly known as congenital disorder of glycosylation type IIi) is an inherited condition that causes neurological problems and other abnormalities. The pattern and severity of this disorder's signs and symptoms vary among affected individuals.

Individuals with *COG5*-CDG typically develop signs and symptoms of the condition during infancy. These individuals often have weak muscle tone (hypotonia) and delayed development. Other neurological features include moderate to severe intellectual disability, poor coordination, and difficulty walking. Some affected individuals never learn to speak. Other features of *COG5*-CDG include short stature, an unusually small head size (microcephaly), and distinctive facial features, which can include ears that are set low and rotated backward, a short neck with a low hairline in the back, and a prominent nose. Less commonly, affected individuals can have hearing loss caused by changes in the inner ear (sensorineural hearing loss), vision impairment, damage to the nerves that control bladder function (a condition called neurogenic bladder), liver disease, and joint deformities (contractures).

Frequency

COG5-CDG is a very rare disorder; fewer than 10 cases have been described in the medical literature.

Genetic Changes

COG5-CDG is caused by mutations in the COG5 gene, which provides instructions for making one piece of a group of proteins known as the conserved oligomeric Golgi (COG) complex. This complex functions in the Golgi apparatus, which is a cellular structure in which newly produced proteins are modified. One process that occurs in the Golgi apparatus is glycosylation, by which sugar molecules (oligosaccharides) are attached to proteins and fats. Glycosylation modifies proteins so they can perform a wider variety of functions.

The COG complex takes part in the transport of proteins, including those that perform glycosylation, in the Golgi apparatus. *COG5* gene mutations reduce the amount of COG5 protein or eliminate it completely, which disrupts protein transport. This disruption results in abnormal protein glycosylation, which can affect numerous body systems, leading to the signs and symptoms of *COG5*-CDG. The severity of *COG5*-CDG is related to the amount of COG5 protein that remains in cells.

Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- carbohydrate deficient glycoprotein syndrome type Ili
- CDG IIi
- CDG2I
- CDGIIi
- COG5-CDG
- congenital disorder of glycosylation type IIi

Diagnosis & Management

Genetic Testing

 Genetic Testing Registry: Congenital disorder of glycosylation type 2i https://www.ncbi.nlm.nih.gov/gtr/conditions/C3150876/

Other Diagnosis and Management Resources

 GeneReview: Congenital Disorders of N-Linked Glycosylation and Multiple Pathway Overview https://www.ncbi.nlm.nih.gov/books/NBK1332

General Information from MedlinePlus

- Diagnostic Tests https://medlineplus.gov/diagnostictests.html
- Drug Therapy https://medlineplus.gov/drugtherapy.html
- Genetic Counseling https://medlineplus.gov/geneticcounseling.html
- Palliative Care https://medlineplus.gov/palliativecare.html
- Surgery and Rehabilitation https://medlineplus.gov/surgeryandrehabilitation.html

Additional Information & Resources

MedlinePlus

Health Topic: Metabolic Disorders
 https://medlineplus.gov/metabolicdisorders.html

Genetic and Rare Diseases Information Center

COG5-CDG (CDG-IIi)
 https://rarediseases.info.nih.gov/diseases/12348/cog5-cdg-cdg-iii

Educational Resources

- Centers for Disease Control and Prevention: Developmental Disabilities https://www.cdc.gov/ncbddd/developmentaldisabilities/facts.html
- CLIMB: Congenital Disorders of Glycosylation Info Sheet http://www.climb.org.uk/IMD/Charlie/CongenitalDisordersofGlycosylation-General.pdf
- Disease InfoSearch: Congenital disorder of glycosylation type 2I http://www.diseaseinfosearch.org/Congenital+disorder+of+glycosylation+type +2I/8055
- EUROGLYCANET http://www.euroglycanet.org/uz/CDG
- MalaCards: cog5-congenital disorder of glycosylation http://www.malacards.org/card/cog5_congenital_disorder_of_glycosylation
- Orphanet: COG5-CDG http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=263487

Patient Support and Advocacy Resources

- American Association on Intellectual and Developmental Disabilities http://aaidd.org/
- Children Living with Inherited Metabolic Disorders (CLIMB) http://www.climb.org.uk/
- National Organization for Rare Disorders (NORD): Congenital Disorders of Glycosylation https://rarediseases.org/rare-diseases/congenital-disorders-of-glycosylation/
- RareConnect https://www.rareconnect.org/en/community/cdg
- The Arc: For People With Intellectual and Developmental Disabilities http://www.thearc.org/

GeneReviews

 Congenital Disorders of N-Linked Glycosylation and Multiple Pathway Overview https://www.ncbi.nlm.nih.gov/books/NBK1332

ClinicalTrials.gov

 ClinicalTrials.gov
 https://clinicaltrials.gov/ct2/results?cond=%22congenital+disorder+of+glycosylation +type+lli%22+OR+%22Congenital+Disorders+of+Glycosylation%22

Scientific Articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28congenital+disorder+of+glycosylation+type+IIi%5BTIAB%5D%29+OR+%28COG5-CDG%5BTIAB%5D%29%29+OR+%28%28congenital+disorder+of+glycosylation%29+AND+%28COG5%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D

OMIM

 CONGENITAL DISORDER OF GLYCOSYLATION, TYPE IIi http://omim.org/entry/613612

Sources for This Summary

- Fung CW, Matthijs G, Sturiale L, Garozzo D, Wong KY, Wong R, Wong V, Jaeken J. COG5-CDG with a Mild Neurohepatic Presentation. JIMD Rep. 2012;3:67-70. doi: 10.1007/8904_2011_61. Epub 2011 Sep 22.
 - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/23430875
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3509859/
- Miller VJ, Sharma P, Kudlyk TA, Frost L, Rofe AP, Watson IJ, Duden R, Lowe M, Lupashin VV, Ungar D. Molecular insights into vesicle tethering at the Golgi by the conserved oligomeric Golgi (COG) complex and the golgin TATA element modulatory factor (TMF). J Biol Chem. 2013 Feb 8; 288(6):4229-40. doi: 10.1074/jbc.M112.426767. Epub 2012 Dec 13. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/23239882 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3567674/
- Paesold-Burda P, Maag C, Troxler H, Foulquier F, Kleinert P, Schnabel S, Baumgartner M, Hennet T. Deficiency in COG5 causes a moderate form of congenital disorders of glycosylation. Hum Mol Genet. 2009 Nov 15;18(22):4350-6. doi: 10.1093/hmg/ddp389. Epub 2009 Aug 18. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/19690088

 Rymen D, Keldermans L, Race V, Régal L, Deconinck N, Dionisi-Vici C, Fung CW, Sturiale L, Rosnoblet C, Foulquier F, Matthijs G, Jaeken J. COG5-CDG: expanding the clinical spectrum.
 Orphanet J Rare Dis. 2012 Dec 10;7:94. doi: 10.1186/1750-1172-7-94. Erratum in: Orphanet J Rare Dis. 2013;8:120.

Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/23228021
Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3697985/

• Smith RD, Lupashin VV. Role of the conserved oligomeric Golgi (COG) complex in protein glycosylation. Carbohydr Res. 2008 Aug 11;343(12):2024-31. doi: 10.1016/j.carres.2008.01.034. Epub 2008 Feb 2. Review.

Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/18353293
Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2773262/

Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/condition/cog5-congenital-disorder-of-glycosylation

Reviewed: August 2014 Published: March 21, 2017

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services